Listing of Claims:

- 1. (Currently amended) A sterile patch comprising a breathable backing coated with a <u>cross-linked</u> polyvinylpyrrolidone-based hydrogel, wherein the hydrogel comprises from about 5% to about 35% by weight polyvinylpyrrolidone, and wherein the hydrogel comprises about 10% from about 0.5% to about 20% by weight of a local anesthetic or a pharmaceutically acceptable salt thereof.
 - 2. Cancelled.
- 3. (Original) The patch of claim 1, wherein the breathable backing comprises a polyester/polyether copolymer film.
- 4. (Original) The patch of claim 1, wherein the hydrogel further comprises a preservative.
- 5. (Previously presented) The patch of claim 1, wherein the local anesthetic comprises a sodium-channel blocker or a pharmaceutically acceptable salt thereof.
- 6. (Previously presented) The patch of claim 5, wherein the sodium-channel blocker is lidocaine.

7 - 11. Cancelled.

- 12. (Currently amended) A package containing a sterile patch, the patch comprising a breathable backing coated with a <u>cross-linked</u> polyvinylpyrrolidone-based hydrogel, wherein the hydrogel comprises from about 5% to about 35% by weight polyvinylpyrrolidone, and wherein the hydrogel comprises about 10% by weight of a local anesthetic or a pharmaceutically acceptable salt thereof.
- 13. (Original) The package of claim 12, wherein the breathable backing comprises a polyester/polyether copolymer film.
- 14. (Original) The package of claim 12, wherein the hydrogel further comprises a preservative.
- 15. (Previously presented) The package of claim 12, wherein the local anesthetic comprises a sodium-channel blocker or a pharmaceutically acceptable salt thereof.
- 16. (Previously presented) The package of claim 15, wherein the sodium-channel blocker is lidocaine.

17 - 21. Cancelled.

- 22. (Currently amended) A method of inducing local anesthesia in a mammal comprising topically applying a sterile patch to the mammal, the patch comprising a breathable backing coated with a <u>cross-linked</u> polyvinylpyrrolidone-based hydrogel, wherein the hydrogel comprises from about 5% to about 35% by weight polyvinylpyrrolidone, and wherein the hydrogel comprises about 10% by weight of a local anesthetic or a pharmaceutically acceptable salt thereof.
 - 23. Cancelled.
- 24. (Original) The method of claim 22, wherein the breathable backing comprises a polyester/polyether copolymer film.
- 25. (Original) The method of claim 22, wherein the hydrogel further comprises a preservative.
- 26. (Previously presented) The method of claim 22, wherein the local anesthetic comprises a sodium-channel blocker or a pharmaceutically acceptable salt thereof.
- 27. (Previously presented) The method of claim 26, wherein the sodium-channel blocker is lidocaine.
 - 28 54. Cancelled.
- 55. (Previously presented) The patch of claim 1, wherein the hydrogel comprises from about 10% to about 30%, by weight, of polyvinylpyrrolidone.
- 56. (Currently amended) The patch of claim 1, wherein the hydrogel comprises from about 0.5% to about 20% 2% to about 10%, by weight, of local anesthetic.
 - 57. Cancelled.
 - 58. Cancelled.
- 59. (Previously presented) The method of claim 22, wherein the patch is applied to non-intact skin on the mammal.
- 60. (Previously presented) The method of claim 59, wherein the patch is applied to a burn or wound of the skin.
- 61. (Previously presented) The method of claim 60, wherein the patch is applied to a surgically closed wound of the skin.

- 62. (Previously presented) The patch of claim 4, wherein the preservative is a blend of paraben esters in phenoxyethanol.
- 63. (Previously presented) The package of claim 14, wherein the preservative is a blend of paraben esters in phenoxyethanol.
- 64. (Previously presented) The method of claim 25, wherein the preservative is a blend of paraben esters in phenoxyethanol.
- 65. (Currently amended) A sterile patch comprising a breathable backing coated with a <u>cross-linked</u> polyvinylpyrrolidone-based hydrogel, wherein the hydrogel comprises from about 5% to about 35% by weight polyvinylpyrrolidone, and wherein the hydrogel comprises about 10% to about 20% by weight of a local anesthetic or a pharmaceutically acceptable salt thereof.
- 66. (Previously presented) The patch of claim 65, wherein the breathable backing comprises a polyester/polyether copolymer film.
- 67. (Previously presented) The patch of claim 65, wherein the hydrogel further comprises a preservative.
- 68. (Previously presented) The patch of claim 65, wherein the local anesthetic comprises a sodium-channel blocker or a pharmaceutically acceptable salt thereof.
- 69. (Previously presented) The patch of claim 68, wherein the sodium-channel blocker is lidocaine.